Printing date 08/28/2020 Reviewed on 08/28/2020

### 1 Identification

- . Product identifier
- . Trade name POLYESTER TGIC-FREE
- . Article number: 29,58,59,68,138,149
- . Restrictions Industrial Powder coating Application
- . Recommended Use: Powder coating material
- . Manufacturer/Supplier:

USA:

TIGER Drylac U.S.A., Inc. 3945 Swenson Ave St. Charles, IL 60174 Phone: +1- 630-587-2918 Fax: +1-630-587-2923

#### Canada:

TIGER Drylac Canada Inc. 110 Southgate Drive Guelph, Ontario, N1G 4P5 Phone: +1-519-766-4781 Fax: +1-519-766-4787

#### Mexico

TIGER Drylac Mexico S.A. de C.V. Circuito Exportación 212, Parque Industrial Tres Naciones San Luis Potosí, SLP, C.P. 78395 Phone +52-444-799-7243 Fax +52-444-799-7244

- . Informing department: Product Safety Department
- Emergency telephone number:

24/7:1-800-255-3924; International:+01 or +001-813-248-0585

# 2 Hazard(s) identification

. Classification of the substance or mixture

Combustible Dust May form combustible dust concentrations in air.

- . Label elements
- . GHS label elements

The product is classified and labeled according to the Globally Harmonized System  $(\mathit{GHS})$ .

- . Hazard pictograms Void
- . Signal word Warning
- . Hazard statements

May form combustible dust concentrations in air.

- . Classification system
- . NFPA ratings (scale 0-4)



Health = 1
Fire = 1
Reactivity = 1

. HMIS-RATINGS (SCALE 0 - 4)



Health = 1 Fire = 1Reactivity = 1

- . Other hazards
- . Results of PBT and vPvB assessment
- . PBT: Not applicable.
- . vPvB: Not applicable.

(Contd. on page 2)

Printing date 08/28/2020 Reviewed on 08/28/2020

## Trade name POLYESTER TGIC-FREE

(Contd. of page 1)

# 3 Composition/information on ingredients

- . Chemical characterization: Mixtures
- . Description: Mixture consisting of the following components with harmless additives.

. Hazardous ingredients:		
7727-43-7	barium sulphate, natural; barium sulfate	10-25%
13463-67-7	titanium dioxide; titanium (IV) oxide	10-25%
21645-51-2	aluminium hydroxide; aluminum (III) hydroxide	2.5-10%
	Acute Tox. 4, H332	

#### . Additional information

For the wording of the listed hazard phrases refer to section 16.

#### 4 First-aid measures

- . Description of first aid measures
- . After inhalation Supply fresh air; consult doctor in case of symptoms.
- . After skin contact Instantly wash with water and soap and rinse thoroughly.
- . After eye contact Rinse opened eye for several minutes under running water.
- . After swallowing Seek immediate medical advice.
- . Information for doctor
- . Most important symptoms and effects, both acute and delayed None
- . Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- . Extinguishing media
- . Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcoholresistant foam.

. For safety reasons unsuitable extinguishing media

Gaseous extinguishing agents (e.g. Carbon dioxide) under high pressure

. Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. CO, CO2, NOx

- Advice for firefighters
- . Protective equipment:

Put on breathing apparatus. Wear full protective suit.

## 6 Accidental release measures

. Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid causing dust.

Keep away from ignition sources

Wear protective clothing.

Use breathing protection against the effects of dust.

. Environmental precautions:

Do not allow product to reach sewage system or water bodies.

- . Methods and material for containment and cleaning up: Collect mechanically.
- . Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

. Protective Action Criteria for Chemicals

. PAC-1:		
7727-43-7	barium sulphate, natural	15 mg/m³
13463-67-7	titanium dioxide	30 mg/m³
21645-51-2	aluminium hydroxide	8.7 mg/m³
		(Contd. on page 3)

Printing date 08/28/2020

Reviewed on 08/28/2020

#### Trade name POLYESTER TGIC-FREE

		(Contd. of page
7631-86-9	silicon dioxide, chemically prepared	18 mg/m³
1344-28-1	aluminium oxide	15 mg/m³
112926-00-8	Silicon dioxide	18 mg/m³
471-34-1	calcium carbonate	45 mg/m³
1314-23-4	zirconium oxide	14 mg/m³
14808-60-7	quartz (SiO2)	0.075 mg/m
111-42-2	2,2'-iminodiethanol	3 mg/m³
PAC-2:		<u>.</u>
7727-43-7	barium sulphate, natural	170 mg/n
13463-67-7	titanium dioxide	330 mg/m
21645-51-2	aluminium hydroxide	73 mg/m³
7631-86-9	silicon dioxide, chemically prepared	740 mg/n
1344-28-1	aluminium oxide	170 mg/n
112926-00-8	Silicon dioxide	200 mg/n
471-34-1	calcium carbonate	210 mg/n
1314-23-4	zirconium oxide	110 mg/m
14808-60-7	quartz (SiO2)	33 mg/m³
111-42-2	2,2'-iminodiethanol	28 mg/m³
PAC-3:		·
7727-43-7	barium sulphate, natural	990 mg/m³
13463-67-7	titanium dioxide	2,000 mg/m
21645-51-2	aluminium hydroxide	440 mg/m³
7631-86-9	silicon dioxide, chemically prepared	4,500 mg/m
1344-28-1	aluminium oxide	990 mg/m³
112926-00-8	Silicon dioxide	1,200 mg/m
471-34-1	calcium carbonate	1,300 mg/m
1314-23-4	zirconium oxide	680 mg/m³
14808-60-7	quartz (SiO2)	200 mg/m³
111-42-2	2,2'-iminodiethanol	130 mg/m³

# 7 Handling and storage

- . Handling
- . Precautions for safe handling No special measures required.
- . Information about protection against explosions and fires:





Keep ignition sources away - Do not smoke.

Dust can combine with air to form an explosive mixture.

- . Conditions for safe storage, including any incompatibilities
- . Storage
- . Requirements to be met by storerooms and containers:

Store only in the original container.

Static charges may build up in the powder

- . Information about storage in one common storage facility: Not required.
- . Further information about storage conditions: None.
- . Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

. Additional information about design of technical systems: No further data; see item 7. (Contd. on page 4)

- US ---

Printing date 08/28/2020

Reviewed on 08/28/2020

#### Trade name POLYESTER TGIC-FREE

(Contd. of page 3)

## . Control parameters

. Components wi	. Components with critical values that require monitoring at the workplace:		
7727-43-7 bar	rium sulphate, natural		
PEL (U.S.A)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction		
REL (U.S.A)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction		
TLV (U.S.A)	Long-term value: 5* mg/m³ *inhalable fraction; E		
EL (Canada)	Long-term value: 5 mg/m³ inhalable		
VLE (Mexico)	Long-term value: 10 mg/m³		
13463-67-7 ti	tanium dioxide		
PEL (U.S.A)	Long-term value: 15* mg/m³ *total dust		
REL (U.S.A)	See Pocket Guide App. A		
TLV (U.S.A)	Long-term value: 10 mg/m³		
EL (Canada)	Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction; IARC 2B		
VLE (Mexico)	Long-term value: 10 mg/m³ A4		
21645-51-2 al	21645-51-2 aluminium hydroxide		
REL (U.S.A)	Long-term value: 2 mg/m³ as Al		
TLV (U.S.A)	Long-term value: 1* mg/m³ as Al;*as respirable fraction		
EL (Canada)	Long-term value: 10 mg/m³		

## . Regulatory information

PEL (U.S.A): Guide to Occupational Exposure Values (OSHA PELs) REL (U.S.A): Guide to Occupational Exposure Values (NIOSH RELs) TLV (U.S.A): Guide to Occupational Exposure Values (ACGIH) EL (Canada): SOR / 86-304, Control of Hazards 10.19(1)(a) VLE (Mexico): NOM-010-STPS-2014

### . Additional information:

The lists that were valid during the compilation were used as basis.

- . Exposure controls A dust collection system is recommended.
- . Personal protective equipment
- . General protective and hygienic measures

Wash hands during breaks and at the end of the work.

. Breathing equipment:



In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

## Protection of hands:



Protective gloves.

## Antistatic gloves

# . Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## . Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 08/28/2020 Reviewed on 08/28/2020

#### Trade name POLYESTER TGIC-FREE

. Eye protection:

(Contd. of page 4)



Safety Glasses

. Body protection: Protective work clothing.

## 9 Physical and chemical properties

. Information on basic physical and chemical properties

. General Information

. Appearance:

Form: Solid

Colour: According to Trade Name

. Change in condition

. Self-inflammability: Product is not selfigniting.

. Danger of explosion: Product is not explosive. However,

formation of explosive air/dust mixtures is

possible

. Critical values for explosion:

Lower: 71  $g/m^3$ 

Upper: Not applicable
. Steam pressure: Not applicable.

. Density (Specific gravity) at 20 °C (68

°F) 1.63 g/cm³ (13.6 lbs/gal)

. Solubility in / Miscibility with

Water: Insoluble

. Partition coefficient (n-octanol/water): Not available.

. Viscosity:

. Solvent content:

Organic solvents: 0.0 %
Solids content: 100.0 %

. Other information Chemical stability: Not applicable

## 10 Stability and reactivity

- . Reactivity No further relevant information available.
- . Chemical stability Not applicable
- . Conditions to be avoided: No decomposition if used according to specifications.
- . Possibility of hazardous reactions No dangerous reactions known
- . Conditions to avoid No further relevant information available.
- . Incompatible materials: No further relevant information available.

(Contd. on page 6)

Printing date 08/28/2020 Reviewed on 08/28/2020

#### Trade name POLYESTER TGIC-FREE

(Contd. of page 5)

. Hazardous decomposition products: In case of fire: CO, CO2, NOx

## 11 Toxicological information

- . Information on toxicological effects
- . Acute toxicity:

. LD/LC	50 val	ues that are relevant for classification:
Oral	LD50	>2,000 mg/kg (rat)

- . Primary irritant effect:
- . on the skin: No irritant effect.
- . on the eye: Possible irritant effects
- . Sensitization: No sensitizing effect known.
- . Additional toxicological information:
- . Carcinogenic categories

. careinogenic categories			
. IARC (Intern	national Agency for Research on Cancer)		
13463-67-7	titanium dioxide	2B	
7631-86-9	silicon dioxide, chemically prepared	3	
112926-00-8	Silicon dioxide	3	
14808-60-7	quartz (SiO2)	1	
111-42-2	2,2'-iminodiethanol	2B	
. NTP (Nationa	l Toxicology Program)		
14808-60-7	quartz (SiO2)	K	
. OSHA-Ca (Occ	cupational Safety & Health Administration)		
None of the	ingredients is listed.		

## 12 Ecological information

- . Toxicity
- . Aquatic toxicity: No further relevant information available.
- . Persistence and degradability No further relevant information available.
- . Behaviour in environmental systems:
- . Bioaccumulative potential No further relevant information available.
- . Mobility in soil No further relevant information available.
- $. \ \, {\tt Additional \ ecological \ information:}$
- . General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- . Results of PBT and vPvB assessment
- . PBT: Not applicable.
- . vPvB: Not applicable.
- . Other adverse effects No further relevant information available.

### 13 Disposal considerations

- . Waste treatment methods
- . Recommendation





Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- . Uncleaned packagings:
- . Recommendation: Disposal must be made according to official regulations.

## 14 Transport information

. UN-Number

. DOT, ADR, IMDG, IATA

. UN proper shipping name

. DOT, IMDG, IATA

Not

Void

Not Applicable

Void

(Contd. on page 7)

Printing date 08/28/2020 Reviewed on 08/28/2020

Trade name POLYESTER TGIC-FREE

(Contd. of page 6) . ADR

N/AVoid

. Transport hazard class(es)

. DOT, IMDG, IATA

. Class Void

Not regulated.

. ADR, ADN

. Class Void . Packing group N/A. DOT, IMDG, IATA Void . ADR Void N/A

. Environmental hazards: Not applicable.

. Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

. UN "Model Regulation": Void

## 15 Regulatory information

- . Safety, health and environmental regulations/legislation specific for the substance or mixture
- SARA (Superfund Amendments and Reauthorization Act):

. SARA (Superfund Amendments and Reauthorization Act):			
. Section 355	(Extremly hazardous substances):		
None of the	None of the ingredients is listed.		
. Section 313	(Specific toxic chemical listings):		
7727-43-7	barium sulphate, natural		
1344-28-1	aluminium oxide		
. TSCA (Toxio	Substances Control Act):		
7727-43-7	barium sulphate, natural	ACTIVE	
13463-67-7	titanium dioxide	ACTIVE	
21645-51-2	aluminium hydroxide	ACTIVE	
7631-86-9	silicon dioxide, chemically prepared	ACTIVE	
1332-58-7	kaolin	ACTIVE	
1344-28-1	aluminium oxide	ACTIVE	
119-53-9	Benzoin	ACTIVE	
471-34-1	calcium carbonate	ACTIVE	
1860-26-0	2-ethyl-N,N-bis(2-ethylhexyl)hexylamine	ACTIVE	

# . Hazardous Air Pollutants

111-42-2 2,2'-iminodiethanol

. Proposition 65:

. Chemicals known to cause cancer:

13463-67-7 | titanium dioxide

. Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

. Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

. Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

. Cancerogenity categories

. EPA (Environmental Protection Agency)			
7727-43-7	barium sulphate, natural	D, CBD(inh), NL(or	al)
. TLV (Thresh	. TLV (Threshold Limit Value established by ACGIH)		
13463-67-7	titanium dioxide		A4
1332-58-7	kaolin		A4
1344-28-1	aluminium oxide		A4

(Contd. on page 8)

Printing date 08/28/2020

Reviewed on 08/28/2020

#### Trade name POLYESTER TGIC-FREE

	(Con	td. of page 7)		
1314-23-4	zirconium oxide	A4		
14808-60-7	quartz (SiO2)	A2		
111-42-2	2,2'-iminodiethanol	A3		
. NIOSH-Ca (N	. NIOSH-Ca (National Institute for Occupational Safety and Health)			
13463-67-7	titanium dioxide			
14808-60-7	quartz (SiO2)			

#### . GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- . Hazard pictograms Void
- . Signal word Warning
- . Hazard statements

May form combustible dust concentrations in air.

. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

. Relevant phrases

H332 Harmful if inhaled.

- . Date of preparation / last revision 08/28/2020 / -
- . Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)  ${\it HMIS: Hazardous\ Materials\ Identification\ System\ (USA)}$ LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity - Category 4